

# Bar Code Hang Tag



Do you have an asset tracking application where you can't affix a label directly to an asset? What about an asset tracking application where the label would need to be applied in an environment where the temperature is too cold for the adhesive to perform properly? Our Bar Code Hang Tag is ideal for these types of applications.

A removable, reusable solution for a variety of applications, our Bar Code Hang Tag may be used for cold storage, asset control, personnel identification, logistics, work-in-progress, warehousing applications and more. The tag is a thick, clear .003" polyester construction laminated to .010" white polyester, which keeps the profile of the tag relatively thin, yet offers excellent rigidity and resistance to bending and tearing. With the open tab the tag does not need to be permanently affixed to assets and can be easily attached with plastic strips.

Subsurface printing protects the label copy, logo and/or bar code information from moderate solvents and caustics/acids while four-color processing and double-sided registered options allow you to promote your company with a label that shows off your company name or logo. Our digital printing process ensures even the most detailed logo will look crisp and clean.

## Key Product Features

- Variable copy available
- Construction doesn't require tag to be affixed directly to the asset
- Available with choice of 1, 2, 3 or 4 colors - including spot colors and 4 color process
- Digital printing process provides for greater print capability with detailed logos or special designs
- Thin profile, but rigid construction resists bending and tearing
- Double-sided registered option available



# Bar Code Hang Tag Specifications

**Construction:** .003” thick clear polyester laminated to .010” thick white polyester.

**Label Copy:** The label copy may include block type, stylized type, logos or other designs. All copy, block type, stylized type, logos, designs, and bar code are subsurface printed. This unique process provides excellent resistance to solvents, caustics, acids and moderate abrasion.

**Colors:** Standard colors include black, red, yellow, green and blue. Due to contrast needed for the bar code scanner, all bar codes are black.



**Serialization:** Bar code and human-readable equivalent is produced using the latest high-resolution digital technology available, which provides excellent clarity and easy scanning. Code 39 is the standard symbology with a range of 2.7 to 9.4 CPI (characters per inch). Optional symbologies include 128, I 2 of 5, 2D DataMatrix and QR Code.

**Standard Sizes:** 4 3/4 x 1 3/4”, 2 x 1 1/2”

**Affixing Methods:** Various mechanical fasteners (i.e., plastic straps)

**Shipment:** 15 work days

## Test Results

These tests were conducted for a limited period of time in strict laboratory conditions. In order to achieve maximum satisfaction we highly recommend that any customer considering use of this product test the labels in the environment in which they will be used.

### Chemical Soak Test Results

Length of Immersion	Water	Glass Cleaner	Bathroom Cleaner pH 10.0	Isop. Alcohol 99%	Acetone 100%	NaOH pH 12.0	HNO <sub>3</sub> pH 1.0	HCl pH 1.0	Brake Fluid	Diesel Fuel
2 Hours	N.E.	N.E.	N.E.	Slight Adhesive Ooze	Some Adhesive Ooze	N.E.	N.E.	N.E.	N.E.	N.E.
24 Hours	N.E.	N.E.	N.E.	Edges Loosened	Severe Delamination	N.E.	N.E.	N.E.	N.E.	N.E.

N.E. = No Effect